Water Pollution Control Authority New Fairfield Town Hall 4 Brush Hill Road New Fairfield, CT. 06812

Minutes of the Special Meeting November 15, 2019

1. Call To Order:

Chairman Tom Quigley called the meeting to order at 10:00 AM November 15, 2019. Present were Tom Quigley, Peter Viola, Peggy Katkocin, Jim Mellett, and Guest Tim Simpkins

2. Approval of Minutes:

Peggy Katkocin made a motion and Peter Viola second...To approve the minutes of the Regular Meeting August 20, 2019 ,... All in Favor

3. Public Comment:

Peter Viola mentioned that the Ball Pond Advisory Committee will be taking monthly water samples to record water quality.

4. General Correspondence:

The WPCA Monthly Budget was reviewed. As of 10-30-2019 \$648.00 remained in the Budget.

A letter from Kerry Greening Treasurer 08-30-2019 showed Fund 215 was credited with \$6246.12 user in fees.

The AQUA Environmental Report for water testing was reviewed.

5. New Fairfield Municipal Water System Update:

PURA continues to review the sale of the system to Aquarion. Additional Interrogatories were requested by PURA to be forwarded to them by November 21, 2019. No time for a decision has been given. The Town continues to run the plant awaiting the closure of the sale.

6 Old Business:

Water Test Day results were reviewed. Of 77 samples, 26% showed coliform, and 3 showed E-Coli bacteria. A Spring Test Day will be planned.

7 New Business:

A report that a slight detection of lead was found in one sink in Consolidated School was discussed. After filtration, a second test had zero detection. There is still concern that more testing needs to be done. Peggy Katcocin stated a need for funds to continue testing additional samples.

A Motion was made by Peggy Katcotin, seconded by Jim Mellett: To fund additional water testing at Consolidated School with monies from Fund 215 not to exceed \$2000.00

All were in favor.

8 Adjourn: The meeting was adjourned at 10:35 AM.
Submitted by Tom Quigley

Received for Found at 10 h25 m A yand recorded by